



**AQUA
MARINE**





The Professional Choice

Welcome...

to the New AquaMarine brochure which gives a flavour of the exciting product range and developments which we are working on to bring you the very best offering of marine products.

AquaMarine has its roots firmly set in the evolution of boating products – it has always been associated with innovative, high quality products which still deliver good outright value to the boat owner.

Our latest range is no exception to these principles and heralds the further evolution of the brand as we look toward the next 50 years.

Our new range is all fully branded with the instantly recognisable AquaMarine logo, with its distinctive colours. Attractively presented in retail ready packaging all items are clearly marked with Part Number, Description and Barcode – making it an easy add to your range.

It's little wonder that AquaMarine is the professional choice...

Contents

Offshore Clothing	Page 2
Crew Clothing	Page 3
Kayak / Canoe Buoyancy Aids	Page 4
Buoyancy Aids	Page 5
Tenders	Page 6-11
Storm Hatches	Page 12-13
Gas Combination Cookers	Page 14-15
Gas Hobs	Page 16
Electric Ceramic & Induction Hobs	Page 16
Cooker Spare Parts	Page 17
Clocks & Barometers	Page 18-19
Anchors	Page 20
Chain & Calibrated Chain	Page 21
Carded Hardware	Page 22
Paddles & Oars	Page 30

Part Number Index page 32

For more information on the AquaMarine range:

UK Sales:



info@bainbridgeint.co.uk

T: + 44 (0) 1489 776000



AQUAMARINE

15K-OFFSHORE

Specially aimed at use in Coastal and Offshore conditions, it has added comfort features to enhance your sailing experience - whether you are cruising or racing.

JACKET & TROUSERS - TECHNICAL

- Shell Fabric: 100% Polyamide
- Lining: 100% Polyester, PU coating
- Waterproof: 15,000mm,
- Breathability: 6,000g/m² 24hr, YKK zips.

HI-FIT TROUSERS - FEATURES

- Fully lined
- Ankle tightening with Velcro style closures
- Elasticated arm pits
- Wide adjustable braces
- Knee pads reinforced with removable neoprene



Adjustable outer and inner cuff

Hi visibility hood - rolls away into collar



Retro reflective tape on arms and shoulders



Snug collar with anti-pill soft touch neck liner



Zipped 'Nelson' pocket



Inner mesh pocket



Lined two way pockets on outer of jacket

AQUAMARINE

15K-OFFSHORE SUIT



6K-CREW

JACKET & TROUSERS - TECHNICAL

- Shell fabric: 100% Polyamide
- Lining: 100% Polyester, PU coating
- Waterproof: 5,000mm
- Breathability: 3,000g/m² 24hr



Integrated roll away hood



Mesh lining and fleece lined collar



Flush zips for minimum snagging and cleaner line



Inner mesh pocket



Elasticated waist adjustment



Adjustable cuff with Velcro style closure

6KC Jacket

Small	AQM6KCGSML
Medium	AQM6KCGMED
Large	AQM6KCGLRG
XL	AQM6KCGXL
XXL	AQM6KCGXXL

15K0 Jacket

Small	AQM15K0JGSML
Medium	AQM15K0JGMED
Large	AQM15K0JGLRG
XL	AQM15K0JGXL
XXL	AQM15K0JGXXL

15K0 Hi Fit Trousers

Small	AQM15K0GSML
Medium	AQM15K0GMED
Large	AQM15K0GLRG
XL	AQM15K0GXL
XXL	AQM15K0XXL

MARINA BUOYANCY AID

Rated to 50Newton CE EN ISO12402-5

Size/Weight: XS-S 30-50kg **AQMBFJ-003S**

Size/Weight: M-L 50-70kg **AQMBFJ-003M**

Size/Weight: L-XXL +70kg **AQMBFJ-003L**



- 1** Heavy gauge zip with pull keeper at top
- 2** Concealed zip safety pocket on left hand outer side for compass etc.
- 3** Velcro closure pocket on right hand outer side
- 4** Whistle on lanyard located in inner right hand side pocket
- 5** Enclosed elasticated under arms and shoulder straps for comfort fit
- 6** Heavy duty nylon buckle with fully adjustable webbing and one handed release
- 7** Enclosed elasticated waist hem

JIVE BUOYANCY AID

◆ Slip over design ideal for kayaking and action sports

Rated to 50Newton CE EN ISO12402-5

Size/Weight: XS-S 30-50kg **AQMBFJ-001S**

Size/Weight: M-L 50-70kg **AQMBFJ-001M**

Size/Weight: L-XXL +70kg **AQMBFJ-001L**



- A** Slip over design ideal for kayaking and action sports
- B** Fully adjustable 2 x webbing adjusters on both sides of jacket
- C** Front mesh pocket with hook & loop closure
- D** Includes whistle with lanyard in front mesh pocket
- E** Fleece lined front handwarmer pockets behind front mesh pocket
- F** Reflective piping along top of front pocket and chest level of jacket
- G** Reflective strips on either side of chest
- H** Zipped pocket under chest with plenty of room for compasses etc.
- I** Enclosed elasticated under arms
- J** Zipped pocket on back for further storage/hydration pacs
- K** Reflective tape runs down back on both sides
- L** Shoulder straps with neoprene padding and webbing adjusters

AQUAMARINE

TENDERS

Manufactured using the best quality European sourced materials and incorporating key safety features into the design which makes them easy to use and inspires confidence in operation:

- 1

3 chamber tubes – gives greater safety when a tube is punctured – allows you to get ashore or to your vessel whilst still afloat
- 2

Strong Bench seat in solid marine ply – remains cool to sit on, even in the sun, provides a strong seat which also increases stability of the tender
- 3

Large diameter tubes – making them safer to use than most other dinghies on the market – and offer large boat performance, stability and handling – making everyone aboard feel safe and secure
- 4

Hot Air Welded seams – offers permanent, watertight, airtight welding – making a continuous sheet of PVC – this eliminates the problems with glued seams which deteriorate over time when in contact with moisture
- 5

Lightweight Aluminium Oars – with integrated oar locks fitted to dinghy – ensures no losses over the side!
- 6

Davit lifting points factory fitted as standard – ready to go and easy to hang from davits – avoids extra time and hassle adding these features on lesser competitor models
- 7

Lifeline – on both sides of the boat running from bow to stern – terminated and routed through chunky heavy duty pad eyes
- 8

Twin D-ring towing eyes on inflatable range, Integrated towing eye on RIB models as standard
- 9

Heavy duty moulded rubbing strake on all tubes – runs right round the boat to fend off any scrapes you may get into
- 10

Handholds and handles ergonomically located bow and stern to make it easier to lift and manoeuvre the boat when out of the water
- 11

Simple operation gate bailer in transom – allows fast bailing when on the plane
- Supplied with Pump, Oars, Seat, Repair Kit and Transit bag for quick pack down and compact storage

All these 'think of you' features from AquaMarine , make the new tender range incredibly fast and easy to set up – allowing you to spend more time on the water

AQUAMARINE

SLATTED FLOOR RANGE

- ◆ Our new range of slatted floor tenders are ideally suited for boat owners who want a lightweight tender that will roll up to a compact packed down dimension for easy transport and storage when not in use.
- ◆ Solid wood slat floor – strong marine ply slats to spread the load – can be removed when deflated to allow even more compact rolled up, packed down dimensions




RANGE									
Part No	Model	External Dims (cm)	Internal Dims (cm)	People	Weight (kg)	Motor (hp)	Motor Shaft	Tube Dia (cm)	Tubes
AQM71185	185SF	185x129	95x57x30	2	19.5	4	S	37	3
AQM71240	240SF	240x151	93x53x25	3	25.5	6	S	42	3

AQUAMARINE

AIR DECK RANGE

- ◆ This new range from AquaMarine offers a comprehensive range of models in one of the most popular styles of tender on the market. The clever design allows for a flat, rigid floor within the tenders – by the use of technical drop stitch, double wall air deck fabric. Two fabric layers separated by a woven-in system of threads. This thread link system produces an extremely strong connection between the layers. This makes the ready-made air deck totally stiff after inflation and ensures a dimensionally stable surface
- ◆ The Air Deck range is ideally suited for the boat owner who wants a tender that they can roll up and stow when out of use, which also combines RIB like performance thanks to the rigid air deck floor and separate inflatable keel which gives a strong 'V' profile hull. The lightness of the design means that it is quicker to get on the plane. The ultimate blend of portability with performance
- ◆ Quick to set up and pack down the unique AquaMarine design means that the boat can be rolled with the floor in place or removed – giving total flexibility




RANGE									
Part No	Model	External Dims (cm)	Internal Dims (cm)	People	Weight (kg)	Motor (hp)	Motor Shaft	Tube Dia (cm)	Tubes
AQM75210	210AD	210x132	129x59	2	22	4	S	38	3+1+1
AQM75240	240AD	240x153	155x73	3	25	6	S	42	3+1+1
AQM75270	270AD	270x152	176x73	3+1	28.5	10	S	41	3+1+1
AQM75310	310AD	310x148	214x70	4	32	15	S	40	3+1+1

AQUAMARINE

ALUMINIUM FLOOR

- ◆ This new range of heavy duty tenders feature an aluminium floor system which is designed to offer a skipper a completely solid, hard wearing floor to their inflatable tender. Easy to assemble, this model range blends lightness and rigidity with enhanced durability in use
- ◆ This range has excellent stowage capacity making it ideally suited for boat owners who need to carry more payload and awkward kit. The comprehensive range of lengths enables the user to tailor their model exactly to their common carrying requirements – offering handy extra capacity without having to increase length significantly. It is easy to pilot and the inflatable keel which gives it a 'V' profile hull makes it safe and sure footed in its handling when underway



RANGE									
Part No	Model	External Dims (cm)	Internal Dims (cm)	People	Weight (kg)	Motor (hp)	Motor Shaft	Tube Dia (cm)	Tubes
AQM72270	270AF	270x158	177x70	3+1	40.5	10	S	41	3+1
AQM72310	310AF	310x158	208x70	3+1	47.5	15	S	42	3+1
AQM72340	340AF	340x158	236x78	3+1	53.5	15	S	43	3+1
AQM72370	370AF	370x159	261x78	3+1	58	25	S	43	3+1



RIB RANGE

- ◆ The ultimate tenders within the AquaMarine range are the new rigid inflatable boats – manufactured using the very latest techniques. These boats are finished to an incredibly high standard – produced in a low volume, meticulously quality controlled environment in Italy
- ◆ The hull designs feature deep ‘V’ profile for great performance and stability on the water. The 320 and 360 models also feature a longitudinal bulkhead ‘I’ beam to create an incredibly strong floor for weight dissipation and hull rigidity
- ◆ All hulls are in commercial grade counter-molded fibreglass – providing very high strength-to-weight characteristics. This ensures perfect lamination and an exceptional gelcoat finish – processes used by very best RIB producers
- ◆ These features combined with the latest hull designs which incorporate advanced chines gives crisp sharp handling with unrivalled performance - all of which inspire confidence and allow you to get the best performance out of your AquaMarine RIB



RANGE									
Part No	Model	External Dims (cm)	Internal Dims (cm)	People	Weight (kg)	Motor (hp)	Motor Shaft	Tube Dia (cm)	Tubes
AQM76270	270RIB	271x143x72	172x69	3	41	8	S	37	2
AQM76320	320RIB	317x167x81	230x81	5	57	15	S	43	3
AQM76360	360RIB	351x167x81	260x81	5	78	25	S	43	3



STORM CLASSIC HATCHES

Fits standard cutout sizes of most production boats - power and sail and are designed to last whatever you or the elements throw at them.

- ◆ Direct replacement for Europe's most popular hatch
- ◆ Self supporting lid up to 90°
- ◆ Lid sits flat at 180°
- ◆ CE approved
- ◆ Lockable venting position
- ◆ Smoked acrylic
- ◆ Anodised aluminium



BM301001



BM501001



BM302001



BM502001



BM601001




BM601001



BM602001

Hatch Specifications			Overall Length X: mm	Overall Width Y: mm	Overall Height Z: mm	Overall Height Z1: mm	Overall Radii R: mm	Cut Out			Hatch Weight Kg	Acrylic Window Thickness mm
Part no.	Base	Size						Length X1: mm	Width Y1: mm	Radii R1: mm		
BM301001	Flanged	30	415	546	50	74	78	329	458	41	6.5	10
BM302001	Flat Base	30	415	546	48	-	78	328	457	41	7.25	10
BM501001	Flanged	50	466	596	50	74	78	379	509	41	9.75	12
BM502001	Flat Base	50	466	596	48	-	78	378	508	41	8	12
BM601001	Flanged	60	598	598	50	74	78	509	509	41	10.5	12
BM602001	Flat Base	60	598	598	48	-	78	508	508	41	9	12





NEPTUNE 4500 SERIES KIT WITH GIMBALLS & SEARAILS

Neptune Cookers

Marine gas cookers with hob burners, separate grill and oven



- ◆ A 450mm marine cooker, designed and manufactured in the UK
- ◆ Features: hob, grill and oven with integrated gimballs and searails
- ◆ Flame failure device on all burners
- ◆ 3KW Fast burner standard on all hobs
- ◆ Supplied with grill pan
- ◆ Stainless steel construction 4500 & 4500Deluxe, Stainless steel front top and facia – 4500E
- ◆ Vitreous enamelled oven interior for easy cleaning
- ◆ Thermostat control oven
- ◆ Spark ignition on all burners (except 4500E model)
- ◆ Stainless steel door with window
- ◆ Awarded PBO Best Buy



NEPTUNE RANGE

Neptune 4500 Deluxe	2 Hob Burner with Oven & Grill	LE60108D
Neptune 4500	2 Hob Burner with Oven & Grill	LE60108
Neptune 4500 E	2 Hob Burner with Oven & Grill	LE60108E
Neptune 5000	3 Hob Burners, Grill & Oven	LE60102



4500 Deluxe

- 2 x Rapide burners offers greater hob performance
- Electric ignition on all burners
- Integrated pan clamps and gimballs with gimbal lock
- Stainless steel body
- New ignition switching and door catch

4500


- 1 x rapide 1 x standard burner
- Electric ignition on all burners
- Integrated pan clamps and gimballs
- Stainless steel body
- New ignition switching

4500E

- 1 x rapide and 1 x standard burner
- Manual ignition
- Integrated pan clamps and gimballs
- Zintec / stainless steel body

4500 Range Specifications

	Neptune 4500	Pacific 4500	Neptune Hob 4500	Gulf 4500
	2 Burner Hob with separate Grill & Oven	2 Burner Hob with Oven	2 Burner Hob with Grill	2 Burner Hob
A Height from base to fiddle rail	560	485	245	150
B Height from base to pan support	505	425	190	110
C Height from base to gimbal bracket	475	395	250	178
D Cooker width without gimballs	450	450	450	450
E Cooker width with gimballs	470	470	485	485
F Gimbaling arc	510	435	305	255
G Distance - cooker to gimbal fixture	225	225	210	210
H Cooker depth - front to back	420	420	400	400
Minimum space required when heeling at 30° (H) x (D)	520 x 410	450 x 395	320 x 285	-



Neptune Hob 4500

Marine Gas 2 Hob Burner with Grill

LE60110



LE60104



LE60109

Pacific

Marine gas hob with oven

- ◆ A 500mm width marine cooker, designed and manufactured in the UK
- ◆ Neptune 5000 features hob and oven
- ◆ Flame failure device on all burners
- ◆ 3KW fast burner standard feature
- ◆ 3 burner hob
- ◆ Stainless steel construction throughout
- ◆ Vitreous enamelled oven interior for easy cleaning
- ◆ Gimbal lock

Pacific 4500 - 2 Hob Burner with Oven

LE60109

Pacific 5000 Range - 3 Hob Burners with Oven **LE60104**



Gulf 4500

- ♦ Marine gas 2 hob burner

LE60111

Ceramic Hobs

- ♦ Stylish, practical, reliable and easy to use ceramic hobs with 2, 3 or 4 zones
- ♦ Induction, halogen and griddle options
- ♦ 230V
- ♦ Touch and rotary control options
- ♦ Designed and manufactured in the UK



LE49463



LE50366

Marine 230v electric hob with rotary switch control

- ♦ Ceramic hob 2 - rotary control
- ♦ 2 x 1200 W elements

LE49463

- ♦ Ceramic hob 4 - rotary control
- ♦ 4 x 1200 W elements

LE50366



LE50360



LE50364



LE49464

Marine 230v electric hob with touch switch control

- ♦ Ceramic hob 2 - touch control
- ♦ 2 x 1200 W elements

LE50360

- ♦ Ceramic hob 3 - touch control
- ♦ 3 x 1200 W elements

LE50364

- ♦ Ceramic hob 4 - touch control
- ♦ 4 x 1200 W elements

LE49464

- ♦ Ceramic hob 4 - compact
- ♦ 4 x 1200 W elements

LE186329



Marine 230v Electric High performance griddle

- ♦ Ceramic griddle 1300W
- ♦ Ribbed glass with spillage area

LE60112

Marine 230v electric induction hob

- ♦ 2 zone induction hob

LE50362

- ♦ 3 zone induction hob

LE50363

Neptune / Pacific / Gulf Searails & Gimbal Kits

- ♦ A selection of 'add-on' parts to upgrade your marine cooker



LE17474

LE158301



LE17464



Gimbal fixing kit for LE17464 **LE158301**

Standard rail/pan clamp/gimbal fits LE60110/111 **LE17474**

Standard rail/pan clamp fits LE60108/109 **LE17464**

Neptune / Pacific / Gulf Parts

- ♦ Complete selection of spares and replacement parts for Neptune, Pacific and Gulf series of marine cookers



LE213401



LECU158



LE162-001

Pan support (4500) **LE213401**

Door glass inner 2500 & 4500 (k) **LE224101**

1200W Ego heater (ceramic plates for le50364) **LE560101**

Stainless steel feet (set 4) **LE148101**

Pan support (2000/2500) **LE213101**

Grill pan KE98 complete **LE220101**

Grill handle **LE220102**

Door glass outer 2500 & 4500 black dots **LE223101**

Tap knob (2500-3000) **LE252101**

Fixing kit for ceramics **LECU157**

5TR rail 3 burner for LE60102 5000mm cooker **LECU158**

Griddle tray with glass for LE60112 **LECU170**

Slimline bulkhead gimbal (spring clip) **LE162-001**

Oven shelf 2000/2500/4500 **LE212101**

Gimbal lock kit for 4500 Neptune oven **LECU149**

CLOCKS & BAROMETERS

The AquaMarine range of clocks and barometers is designed to offer the boat owner quality precision marine instruments in a range of styles and sizes to suit all boats. Manufactured in Europe by an instrument maker with over 40 years experience – this new range offers quality, design and precision engineering.



Mounted Sets

- ◆ Clock & Barometer Set 260 x 130mm
- ◆ Chrome finish

AQM302645

- ◆ Clock and barometer Set 280 x 140mm
- ◆ Brass finish

AQM303762



- ◆ Clock 70mm face
- ◆ Brass finish

AQM321055

- ◆ Barometer 70mm face
- ◆ Brass finish

AQM321051

- ◆ Thermo/Hygrometer 70mm face
- ◆ Brass finish

AQM321054



- ◆ Clock 70mm face
- ◆ Chrome finish

AQM321520

- ◆ Barometer 70mm face
- ◆ Chrome finish

AQM321523

- ◆ Thermo/Hygrometer 70mm face
- ◆ Chrome finish

AQM321525



- ◆ Clock 95mm face
- ◆ Brass finish

AQM320361

- ◆ Barometer 95mm Face
- ◆ Brass Finish

AQM320360

- ◆ Thermo/Hygrometer 95mm face
- ◆ Brass finish

AQM320369



- ◆ Clock 95mm face
- ◆ Chrome finish

AQM320366

- ◆ Barometer 95mm face
- ◆ Chrome finish

AQM320367

- ◆ Thermo/Hygrometer 95mm face
- ◆ Chrome finish

AQM320368



- ◆ Clock 120mm face
- ◆ Brass finish

AQM320385

- ◆ Barometer 120mm face
- ◆ Brass finish

AQM320380

- ◆ Thermo/Hygrometer 120mm face
- ◆ Brass finish

AQM320375

- ◆ Barometer/Thermo/Hygrometer 120mm face
- ◆ Brass finish

AQM320370



- ◆ Clock 120mm face
- ◆ Chrome finish

AQM320485

- ◆ Barometer 120mm face
- ◆ Chrome finish

AQM320480

- ◆ Thermo/Hygrometer 120mm face
- ◆ Chrome finish

AQM320475

ANCHORS



Claw Anchors Galvanised

- ♦ Very effective in a variety of seabeds - ideal for mud, sand and rocky bottoms
- ♦ Remains stable under a wide range of tide and wind conditions
- ♦ Stows easily on a bow roller
- ♦ Quick set and reset
- ♦ Eye for trip line

1kg	AQM023228
2kg	AQM023229
5kg	AQM023230
7.5kg	AQM023231
10kg	AQM023232
15kg	AQM023233
20kg	AQM023234
30kg	AQM023235



Plough Anchors Galvanised

- ♦ Good holding power in all bottom types
- ♦ Easily stowed over a bow roller
- ♦ The hinged shank allows the anchor to turn in the tide as opposed to dislodging

15kg	AQM054843
22kg	AQM054844

Grip Anchor Galvanised

2.5kg	AQM054845
4kg	AQM054846
5kg	AQM054847
7kg	AQM054848
9kg	AQM054849
10kg	AQM054850
12kg	AQM054851
15kg	AQM054852
20kg	AQM054853



Weighted End Grapnel Anchor Galvanised

1.5kg	AQM023245
2.5kg	AQM023246
3.2kg	AQM023247
4kg	AQM023248
6kg	AQM023249
8kg	AQM023250



Peg Anchor Galvanised

300mm	AQM054854
350mm	AQM054855
425mm	AQM054856
500mm	AQM054857
550mm	AQM054858

CHAIN



Anchor Rope with DIN 766 HD Galvinised Chain

12mm	AQM054859
14mm	AQM054860



Anchor Swivel AISI316 Polished

8/12mm	120mm	AQM054865
6/10mm	L90mm with 8/15mm gap	AQM042405
12/12mm	L110mm with 12/20mm gap	AQM042406

Anchor Shackle Stainless Steel

20mm	AQM023540
------	------------------



Quick Link AISI316

3.5mm	36.5 x 17mm 5mm opening	AQM053881
4mm	40 x 19.5mm 5.5mm opening	AQM053882
5mm	49 x 23mm 6.5mm Opening	AQM053883
6mm	58 x 26.5mm 7.5mm opening	AQM053884
8mm	75 x 33.5mm 10.5mm opening	AQM053886
12mm Shaft Dia		AQM023527



Calibrated Chain - Galvanised - for European Windlasses

- ♦ DIN766 / ISO4565 / UNI EN 24565 (10.1990)
- ♦ High Strength Grade 4 Chain

7mm x 30m to DIN766 & ISO4565	AQM07030G
7mm x 60m to DIN766 & ISO4565	AQM07060G
8mm x 30m to DIN766 & ISO4565	AQM08030G
8mm x 60m to DIN766 & ISO4565	AQM08060G
10mm x 30m to ISO4565	AQM10030G
10mm x 60m to ISO4565	AQM10060G
12mm x 30m to DIN766 & ISO4565	AQM12030G
12mm x 60m to DIN766 & ISO4565	AQM12060G

Calibrated Chain - Stainless AISI 316 / 316L - for European Windlasses

- ♦ DIN766 / ISO4565 / UNI EN 24565 (10.1990)
- ♦ High Strength Grade 4 Chain

8mm x 30m to DIN766 & ISO4565	AQM08030S
8mm x 60m to DIN766 & ISO4565	AQM08060S
10mm x 30m to ISO4565	AQM10030S
10mm x 60m to ISO4565	AQM10060S

Short Link Chain - Galvanised

50m x 6mm	AQM023265
50m x 8mm	AQM023266
50m x 10mm	AQM023267
50m x 13mm	AQM023268

Chain Pipe AISI316

Flanged	150mm	AQM054862
Flanged - Pipe Thru Deck	30mm	AQM054861

AQUAMARINE



Bow Shackle AISI316

4mm	L14mm with 8-16mm gap 4mm pin	AQM053960
5mm	L16mm with 10-19mm gap 5mm pin	AQM053961
6mm	L20mm with 13-25mm gap 6mm pin	AQM053535
8mm	L24mm with 16-32mm gap 8mm pin	AQM053963
10mm	L32mm with 19-38mm gap 10mm pin	AQM053964
12mm	L38mm with 25-51mm gap 12mm pin	AQM053965



Bow Shackle HD Galvanised

5mm	L20mm with 10-14mm gap 5mm pin	AQM053295
6mm	L24mm with 12-17mm gap 6mm pin	AQM053296
8mm	L32mm with 16-22mm gap 8mm pin	AQM053297
10mm	L40mm with 20-29mm gap 10mm pin	AQM053298
11mm	L45mm with 22-32mm gap 11mm pin	AQM053299
12mm	L49mm with 25-34mm gap 12mm pin	AQM053300
14mm	L59mm with 28-41mm gap 14mm pin	AQM053301
16mm	L64mm with 32-46mm gap 16mm pin	AQM053302
0mm	L80mm with 38-59mm gap 20mm pin	AQM053303
22mm	L85mm with 44-63mm gap 22mm pin	AQM053304



Twisted Shackle AISI316

5mm	L30mm with 10mm gap 5mm pin	AQM053576
6mm	L36mm with 12mm gap 6mm pin	AQM053577
8mm	L48mm with 16mm gap 8mm pin	AQM053578
10mm		AQM053579



D Shackle AISI316

4mm	L16mm with 8mm gap 4mm pin	AQM053862
5mm	L19mm with 10mm gap 5mm pin	AQM053863
6mm	L25mm with 13mm gap 8mm pin	AQM053864
8mm	L32mm with 16mm gap 8mm pin	AQM053865
10mm	L38mm with 19mm gap 10mm pin	AQM053866
12mm	L51mm with 25mm gap 12mm pin	AQM053867



D Shackle HD Galvanised

5mm	L19mm with 10mm gap 5mm pin	AQM053280
6mm	L24mm with 12mm gap 6mm pin	AQM053281
8mm	L25mm with 13mm gap 8mm pin	AQM053282
10mm	L40mm with 20mm gap 10mm pin	AQM053283
11mm	L44mm with 22mm gap 11mm pin	AQM053284
12mm	L48mm with 25mm gap 12mm pin	AQM053285
14mm	L56mm with 28mm gap 14mm pin	AQM053286
16mm	L64mm with 32mm gap 16mm pin	AQM053287
20mm	L76mm with 38mm gap 20mm pin	AQM053288
22mm	L85mm with 44mm gap 22mm pin	AQM053289



Long D Shackle AISI316

4mm	L32 mm with 8mm gap 4mm pin	AQM053510
5mm	L40mm with 10mm gap 5mm pin	AQM053511
6mm	L48mm with 12mm gap 6mm pin	AQM053512
8mm		AQM053513
10mm		AQM053975
12mm	L96mm with 24mm gap 12mm pin	AQM053976



Fixed Snap Shackle AISI316

L52mm, 12mm Gap, 9mm Eye	AQM023873
L66mm, 16mm Gap, 12mm Eye	AQM023874
L96mm, 22mm Gap, 16mm Eye	AQM023877



Eye Swivel Snap Shackle AISI316

L87mm, 16mm Gap & Eye	AQM023878
L128mm, 22mm Gap & Eye	AQM023879

AQUAMARINE



Fast Rigid Snap Stainless Steel

10 x 55 mm	AQM054722
16 x 73mm	AQM054723



Fast Swivel Snap Stainless St

6 x 86mm	AQM054726
20 x 100mm	AQM054727

Shackle with Bar & Double Captive Pin AISI316

L39mm With 12.5mm Gap 5mm Pin	AQM054798
L45mm With 14.5mm Gap 6mm Pin	AQM054799
L64mm With 19mm Gap 8mm Pin	AQM054800

Shackles with Sink Pin AISI316

6mm L24mm With 12mm Gap 6mm Pin	AQM054794
8mm L32mm With 16mm Gap 8mm Pin	AQM054795
10mm L40mm With 20mm Gap 10mm Pin	AQM054796
L48mm With 24mm Gap 12mm Pin	AQM054797

Shackle Key 8-10-13mm AISI316

100 x 32 with Tear Drop	AQM054749
-------------------------	------------------



Asymetric Snap Hook with Eye AISI316

6mm 60 x 35mm with 9mm eye	AQM054715
8mm 80 x 46mm with 11mm eye	AQM054716
10mm 100 x 58mm with 15mm eye	AQM054717
12mm 120 x 70mm with 18mm eye	AQM054718



Eye Hook AISI316

6mm eye 50 x 25mm	AQM054719
9mm eye 70 x 31mm	AQM054720
12mm eye 100 x 50mm	AQM054721



Pelican Hook AISI316

W6mm L73mm 12mm Eye	AQM054801
W8mm L98mm 15mm Eye	AQM054802



Carbine Hook AISI316 DIN5299-C

5mm 50 x 25mm with 7mm gap	AQM053130
6mm 60 x 30mm with 8mm gap	AQM053131
7mm 70 x 35mm with 8mm gap	AQM053132
8mm 80 x 40mm with 9mm gap	AQM053133
10mm 100 x 50mm with 10mm gap	AQM053135
11mm 120 x 57mm with 11mm gap	AQM053136



Carbine Hook with Eye AISI316 DIN5299-A

5mm 50 x 25mm with 7mm gap	AQM053139
6mm 60 x 30mm with 8mm gap	AQM053140
7mm 70 x 35mm with 8mm gap	AQM053141
8mm 80 x 40mm with 9mm gap	AQM053142
10mm 100 x 50mm with 10mm gap	AQM053144
11mm 120 x 57mm with 11mm gap	AQM053145



Carbine Hook with Screw Lock EP

50mm x 25mm	AQM054803
60mm x 30mm	AQM054804
70mm x 35mm	AQM054805
80mm x 40mm	AQM054806
90mm x 45mm	AQM054807
100mm x 50mm	AQM054808
120mm x 57mm	AQM054809
140mm x 67mm	AQM054810
160mm x 74mm	AQM054811

AQUAMARINE



S-Hooks AISI316

3mm	AQM054812
3.5mm	AQM054813
4mm	AQM054814
5mm	AQM054815
6mm	AQM054816
7mm	AQM054817
8mm	AQM054818
9mm	AQM054819
10mm	AQM054820



Snap Hook Galvanised Steel

3.5 Ton Breaking Load	AQM023128
-----------------------	-----------



Eye Plate Oval AISI304

5mm 45 x 15mm 14mm eye	AQM054706
6mm 60 x 20mm 18mm eye	AQM054707
8mm 80 x 26mm 20mm eye	AQM054708
9mm 100 x 32mm 22mm eye	AQM054709



Eye Plate Square AISI316

5mm 30 x 35mm 14mm eye	AQM054703
6mm 35 x 40mm 18mm eye	AQM054704
8mm 40 x 50mm 20mm eye	AQM054705



Eye Plate with Ring Square AISI316

5mm 30 x 35mm 30mm ring	AQM054700
6mm 35 x 40mm 40mm ring	AQM054701
8mm 40 x 50mm 50mm ring	AQM054702



Eye Bolt Nut & Washer AISI316 M6

Eye 5 x 16mm L60mm Thread 54mm	AQM054738
Eye 5 x 16mm L80mm Thread 70mm	AQM054739
Eye 6 x 19mm L80mm Thread 70mm	AQM054740
Eye 6 x 19mm L100mm Thread 90mm	AQM054741
Eye 7 x 25mm L100mm Thread 88mm	AQM054742
Eye 8 x 25mm L120mm Thread 105mm	AQM054743



Stainless Steel Eye Bolt M10

D25mm L65mm	AQM020500
-------------	-----------



Ring Bolt Nut & Washer AISI316

M6 Ring 6 x 35mm L75mm Thread 50mm	AQM053895
M8 Ring 8 x 45mm L75mm Thread 50mm	AQM053896
M10 Ring 9 x 50mm L100mm Thread 75mm	AQM053897



AQUAMARINE



Lifting Eye Bolt AISI316 DIN580

M8 8mm L49mm 13mm thread 20mm eye	AQM024729
M10 10mm L62mm 17mm thread 25mm eye	AQM024730
M12 12mm L74mm 21mm thread 30mm eye	AQM024731



Lifting Eye Nut AISI316 DIN582

M6 6mm L30mm 16mm eye	AQM024732
M8 8mm L36mm 20mm eye	AQM024733
M10 10mm L45mm 25mm eye	AQM024734
M12 12mm L53mm 30mm eye	AQM024735



Eye Strap Stirrup AISI316

5mm 50 x 18mm 20mm eye	AQM054710
6mm 60 x 22mm 26mm eye	AQM054711
8mm 63 x 24mm 27mm eye	AQM054713
8mm	AQM054712
10mm 75 x 28mm 28mm eye	AQM054714



Swivel Snap Eye Bolt AISI316

12mm Eye L75mm with 8mm gap	AQM053855
16mm Eye L87mm with 9mm gap	AQM053856
19mm Eye	AQM053857
9mm eye L62mm with 7mm gap	AQM053854



Turnbuckle Eye/Eye AISI316

M5 120-160mm	AQM053828
M6 150-220mm	AQM053829
M8 200-290mm	AQM053830



Cleat Low Profile AISI316

125mm	AQM054873
150mm 28 x 56mm	AQM042400
200mm 32 x 62mm	AQM042401
250mm 40 x 64mm	AQM042402



Cleat Open Base Herreshoff AISI316

300mm	AQM054880
125mm 28 x 40mm	AQM042390
150mm 30 x 44mm	AQM042391
200mm 42 x 54mm	AQM042392



Heavy Duty Cleat Herreshoff AISI316

200mm	AQM042396
-------	-----------

AQUAMARINE



Cross Bollard AISI316

80x80mm	AQM054870
120x95mm	AQM054871
135x135mm	AQM054872



D Ring AISI316 Welded

3 x 20mm	AQM053916
4 x 25mm	AQM053918
5 x 25mm	AQM053919
6 x 50mm	AQM053925



Round Ring AISI316 Welded

3 x 20mm	AQM053900
4 x 25mm	AQM053901
5 x 25mm	AQM053903
5 x 40mm	AQM053906
4 x 45mm	AQM053907
6 x 50mm	AQM053910
8 x 65mm	AQM053913



Wire Rope Clamp AISI316 DIN741

2mm	15 x 6.6mm M3 nut	AQM053400
3mm	16 x 9mm M4 nut	AQM053401
4mm	18.5 x 9mm M4 nut	AQM053402
5mm	19 x 11mm M5 nut	AQM053403
6mm	23 x 13mm M5 nut	AQM053404
8mm	28 x 16mm M6 nut	AQM053405
10mm	34 x 19mm M8 nut	AQM053406
16mm	51 x 29mm M12 nut	AQM053408



U Bolt AISI316

M4	L64mm 30mm gap	AQM053941
M5	L60mm 30mm gap	AQM053942
M6	L90mm 30mm gap	AQM053943
M8	L64mm 30mm gap	AQM053944
M8	L80mm 35mm gap	AQM053946
M8	L100mm 35mm gap	AQM053948
M10	L90mm 50mm gap	AQM023949
M10	L130mm 50mm gap	AQM023950
M12	L150mm 60mm gap	AQM023951



Fairleads Handed AISI316 Cast

150 x 24 x 26mm	AQM042389
150 x 34 x 32mm	AQM042386
200 x 38 x 38mm	AQM042387

AQUAMARINE



Oval Handrail AISI316

200x70mm	AQM054900
300x70mm	AQM054901
400x70mm	AQM054902
500x70mm	AQM054903
600x70mm	AQM054904
800x70mm	AQM054905



Nylon Cleat Black UV Stabilised

75mm	AQM054881
100mm	AQM054882
125mm	AQM054883



Mini Pulley 25mm AISI316

No Shackle & Removable Pin	AQM054919
Solid Shaft	AQM054920
Shackle & Removable Pin	AQM054918



Titanium Low Friction Rings

- ◆ Non-corrosive and inert - ideal for use in carbon laminate sailcloth
- ◆ Versatile utility solid ring
- ◆ Numerous uses on-board, Barber hauler, sheet leads, purchase systems, bridles, clew, reefing rings and blocks

Bore Dia. (mm)	Overall Dia. (mm)	Overall Width (mm)	Safe working Load (kg)	UOM	Part No.
7	16	6	740	Each	AQM5107
10	22	8	4300	Each	AQM5110
15	35	11	4800	Each	AQM5115
20	44	17	5700	Each	AQM5120

AQUAMARINE



Galvanised Rowlock

50mm Gap 12mm Shaft	AQM054750
57mm Gap 14mm Shaft	AQM054751
64mm Gap 14mm Shaft	AQM054752
70mm Gap 14mm Shaft	AQM054753
75mm Gap 16mm Shaft	AQM054754



Rowlock & Socket Stainless Steel

150mm	AQM054888
-------	------------------



Rowlock PVC

Black 50mm	AQM054884
Black 60mm	AQM054886
White 50mm	AQM054885
White 60mm	AQM054887



Galvanised Rowlock Socket

L70mm 13mm Hole	AQM054755
L85mm 15mm Hole	AQM054756
L90mm 17mm Hole	AQM054757



Top Mount Nylon Rowlock Socket

Black 100mm	AQM054889
White 100mm	AQM054890



Side Mount Nylon Rowlock Socket

Black 70mm	AQM054874
White 70mm	AQM054891

AQUAMARINE



Stainless Steel Thimble AISI304 for Wire Rope

3mm	L25mm with 10 x 18mm eye	AQM053928
4mm	L28mm with 11 x 20mm eye	AQM053929
5mm	L32mm with 13 x 21mm eye	AQM053930
6mm	L39mm with 15 x 27mm eye	AQM053931
8mm	L51mm with 22 x 38mm eye	AQM053932
10mm	L65mm with 27 x 48mm eye	AQM053933
12mm	L70mm with 29 x 53mm eye	AQM053934
14mm	L79mm with 32 x 57mm eye	AQM053935
16mm	L90mm with 40 x 67mm eye	AQM053936
18mm	L102mm with 45 x 75mm eye	AQM053937
20mm	L115mm with 52 x 84mm eye	AQM053938



Hot Dipped Galvanised Thimble for Wire Rope

4mm	AQM053311
6mm	AQM053313
8mm	AQM053315
10mm	AQM053316
12mm	AQM053317
14mm	AQM053318
16mm	AQM053319
18mm	AQM053320
20mm	AQM053321



Rigging Screw Fork/Fork

M5	L130-190mm, 6mm Fork 5.2mm pin	AQM023821
M6	L150-220mm, 7.5mm Fork 6.2mm pin	AQM023822
M8	L180-255mm, 10mm Fork 8.4mm pin	AQM023823
M10	L220-300mm, 12mm Fork 9.4mm pin	AQM023824
M12	L270-385mm, 14mm Fork 12.3mm pin	AQM023825

Rigging Screw Toggle To Jaw AISI316

M6 10mm Jaw 6.2mm Pin	AQM054764
M8 11mm Jaw 8.4mm Pin	AQM054765
M10 13mm Jaw 9.4mm Pin	AQM054766
18mm Jaw 12.3mm Pin	AQM054767
M16 20mm Jaw 14mm Pin	AQM054768
M20 22mm Jaw 19mm Pin	AQM054769

Rigging Screw Toggle To Swage Stud AISI316

M6 10mm Jaw 6.2mm Pin	AQM054758
M8 11mm Jaw 8.4mm Pin	AQM054759
M10 13mm Jaw 9.4mm Pin	AQM054760
M12 18mm Jaw 12.3mm Pin	AQM054761
M16 20mm Jaw 14mm Pin	AQM054762
M20 22mm Jaw 19mm Pin	AQM054763

Jaw With Swage Terminal AISI316

For 2.5mm Wire 7mm Jaw 5mm Pin	AQM054778
For 3mm Wire 7mm Jaw 5mm Pin	AQM054779
For 4mm Wire 9mm Jaw 6mm Pin	AQM054780
For 5mm Wire 11mm Jaw 8mm Pin	AQM054781
For 6mm Wire 12mm Jaw 9.5mm Pin	AQM054782
For 7mm Wire 14mm Jaw 12mm Pin	AQM054783
For 8mm Wire 14mm Jaw 12mm Pin	AQM054784
For 10mm Wire 22mm Jaw 16mm Pin	AQM054785
For 12mm Wire 22mm Jaw 19mm Pin	AQM054786

Swivel Jaw/Jaw AISI316

D 6mm x L 66mm	AQM023806
D 8mm x L 90mm	AQM023807

Swivel Eye/Eye AISI316

D 6mm x L 65mm	AQM023813
D 8mm x L 90mm	AQM023814
D 10mm x L 115mm	AQM023816
D 13mm x L 154mm	AQM023817
D 16mm x L 188mm	AQM023818

Toggle AISI316

7mm Gap 25mm Eye To Pin 5mm Pin	AQM054787
7mm Gap 27mm Eye To Pin 6.5mm Pin	AQM054788
8mm Gap 31mm Eye To Pin 8mm Pin	AQM054789
10mm Gap 36mm Eye To Pin 9.5mm Pin	AQM054790
12mm Gap 37mm Eye To Pin 11mm Pin	AQM054791
14mm Gap 50mm Eye To Pin 12.7mm Pin	AQM054792
16mm Gap 60mm Eye To Pin 12.7mm Pin	AQM054793

AQUAMARINE

RED TIP OAR WITH COLLAR

- ◆ A very high-class oar laminated from clean timber for demanding conditions
- ◆ Beautifully shaped handle and blade reinforced with a wedge
- ◆ Finished with water-proof special varnish
- ◆ Sourced from Europe's leading oar manufacturer – from the same factory as our previous range of oars

Length 1.5m Blade length: 530mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.15kg
AQM03151

Length 1.65m Blade length: 530mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.26kg
AQM03161

Length 1.8m Blade length: 540mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.44kg
AQM03181

Length 1.95m Blade length: 540mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.49kg
AQM03191

Length 2.1m Blade length: 580mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.6kg
AQM03211

Length 2.25m Blade length: 580mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.72kg
AQM03221

Length 2.4m Blade length: 600mm
Blade Width: 115mm Shaft Dia: 44mm Weight 1.83kg
AQM03241

Length 2.7m Blade length: 600mm
Blade Width: 115mm Shaft Dia: 44mm Weight 2.06kg
AQM03271

Length 3.0m Blade length: 700mm
Blade Width: 120mm Shaft Dia: 44mm Weight 2.52kg
AQM03301



AQUAMARINE

OAR WITHOUT COLLAR

- ◆ A wooden sea oar laminated from selected timber
- ◆ Shaped handle, blade reinforced with a wedge
- ◆ Finished with a water-proof special varnish

Length 1.5m Blade length: 530mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.05kg
AQM07150

Length 1.65m Blade length: 530mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.08kg
AQM07165

Length 1.8m Blade length: 540mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.18kg
AQM07180

Length 1.95m Blade length: 540mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.27kg
AQM07195

Length 2.1m Blade length: 580mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.4kg
AQM07210

Length 2.25m Blade length: 580mm
Blade Width: 112mm Shaft Dia: 44mm Weight 1.49kg
AQM07225

Length 2.4m Blade length: 600mm
Blade Width: 115mm Shaft Dia: 44mm Weight 1.59kg
AQM07240

Length 2.7m Blade length: 600mm
Blade Width: 115mm Shaft Dia: 44mm Weight 1.86kg
AQM07270

Length 3.0m Blade length: 700mm
Blade Width: 120mm Shaft Dia: 44mm Weight 2.19kg
AQM07300

RED TIP JOINTED OAR

- ◆ A very high-class oar laminated from clean timber with a middle joint
- ◆ The oar can easily be divided into two parts
- ◆ Practical oar for small dinghies and inflatables
- ◆ Finished with water-proof special varnish

Length 1.5m Blade length: 530mm
Blade Width: 112mm Shaft Dia: 35mm Weight 1.05kg
AQM04150

Length 1.65m Blade length: 530mm
Blade Width: 112mm Shaft Dia: 35mm Weight 1.2kg
AQM04165

Length 1.8m Blade length: 530mm
Blade Width: 112mm Shaft Dia: 35mm Weight 1.25kg
AQM04180

Length 1.95m Blade length: 530mm
Blade Width: 112mm Shaft Dia: 35mm Weight 1.3kg
AQM04195

Length 2.1m Blade length: 530mm
Blade Width: 112mm Shaft Dia: 35mm Weight 1.38kg
AQM04210

CANOE PADDLE

- ◆ A paddle laminated in clean timber
- ◆ Shaped handle, blade tip reinforced with a wedge
- ◆ Suitable for both canoes and boats
- ◆ Finished in a special varnish

Length 1.0m Blade length: 460mm
Blade Width: 155mm Shaft Dia: 28 x 31mm Weight 575g
AQM11100

Length 1.25m Blade length: 460mm
Blade Width: 155mm Shaft Dia: 28 x 31mm Weight 650g
AQM11125

Length 1.4m Blade length: 540mm
Blade Width: 155mm Shaft Dia: 28 x 31mm Weight 750g
AQM11140

Length 1.5m Blade length: 540mm
Blade Width: 155mm Shaft Dia: 28 x 31mm Weight 775g
AQM11150

KAYAK PADDLES

- ◆ Two part - clip apart

Child

Size: 160cm Colour: Black
FLX3SFPD35

Adult

Size: 220cm Colour: Yellow / Black
FLX3SFPD206



BOAT ROLLERS

EXTR1B Ribbed Blue Nylon Wobble Roller

EXTRA1 Wing Bracket Assembly

EXTRB1 Aluminium Wing Bracket

A	
AQM020500.....	24
AQM023128.....	24
AQM023228.....	20
AQM023229.....	20
AQM023230.....	20
AQM023231.....	20
AQM023232.....	20
AQM023233.....	20
AQM023234.....	20
AQM023235.....	20
AQM023245.....	20
AQM023246.....	20
AQM023247.....	20
AQM023248.....	20
AQM023249.....	20
AQM023250.....	20
AQM023265.....	21
AQM023266.....	21
AQM023268.....	21
AQM023527.....	21
AQM023806.....	29
AQM023807.....	29
AQM023813.....	29
AQM023814.....	29
AQM023816.....	29
AQM023817.....	29
AQM023818.....	29
AQM023821.....	29
AQM023822.....	29
AQM023823.....	29
AQM023824.....	29
AQM023825.....	29
AQM023873.....	22
AQM023874.....	22
AQM023877.....	22
AQM023878.....	22
AQM023879.....	22
AQM023949.....	26
AQM023950.....	26
AQM023951.....	26
AQM024729.....	25
AQM024730.....	25
AQM024731.....	25
AQM024732.....	25
AQM024733.....	25
AQM024734.....	25
AQM024735.....	25
AQM03151.....	30
AQM03161.....	30
AQM03181.....	30
AQM03191.....	30
AQM03211.....	30
AQM03221.....	30
AQM03241.....	30
AQM03271.....	30
AQM03301.....	30
AQM04150.....	31
AQM04165.....	31
AQM04180.....	31
AQM04195.....	31
AQM04210.....	31
AQM042386.....	26
AQM042387.....	26
AQM042389.....	26
AQM042390.....	25
AQM042391.....	25
AQM042392.....	25
AQM042396.....	25
AQM042400.....	25
AQM042401.....	25
AQM042402.....	25
AQM053130.....	23
AQM053131.....	23
AQM053132.....	23
AQM053133.....	23
AQM053135.....	23
AQM053136.....	23
AQM053139.....	23
AQM053140.....	23
AQM053141.....	23
AQM053142.....	23
AQM053144.....	23
AQM053145.....	23
AQM053280.....	22
AQM053281.....	22
AQM053282.....	22
AQM053283.....	22
AQM053284.....	22
AQM053285.....	22
AQM053286.....	22
AQM053287.....	22
AQM053288.....	22
AQM053289.....	22
AQM053295.....	22
AQM053296.....	22
AQM053297.....	22
AQM053298.....	22
AQM053299.....	22
AQM053300.....	22
AQM053301.....	22
AQM053302.....	22
AQM053303.....	22
AQM053304.....	22
AQM053311.....	29
AQM053313.....	29
AQM053315.....	29
AQM053316.....	29
AQM053317.....	29
AQM053318.....	29
AQM053319.....	29
AQM053320.....	29
AQM053321.....	29
AQM053400.....	26
AQM053401.....	26
AQM053402.....	26
AQM053403.....	26
AQM053404.....	26
AQM053405.....	26
AQM053406.....	26
AQM053408.....	26
AQM053510.....	22
AQM053511.....	22
AQM053512.....	22
AQM053513.....	22
AQM053535.....	22
AQM053576.....	22
AQM053577.....	22
AQM053578.....	22
AQM053579.....	22
AQM053828.....	25
AQM053829.....	25
AQM053830.....	25
AQM053854.....	25
AQM053855.....	25
AQM053856.....	25
AQM053857.....	25
AQM053862.....	22
AQM053863.....	22
AQM053864.....	22
AQM053865.....	22
AQM053866.....	22
AQM053867.....	22
AQM053881.....	21
AQM053882.....	21
AQM053883.....	21
AQM053884.....	21
AQM053886.....	21
AQM053895.....	24
AQM053896.....	24
AQM053897.....	24
AQM053900.....	26
AQM053901.....	26
AQM053903.....	26
AQM053906.....	26
AQM053907.....	26
AQM053910.....	26
AQM053913.....	26

AQM053916.....	26
AQM053918.....	26
AQM053919.....	26
AQM053925.....	26
AQM053928.....	29
AQM053929.....	29
AQM053930.....	29
AQM053931.....	29
AQM053932.....	29
AQM053933.....	29
AQM053934.....	29
AQM053935.....	29
AQM053936.....	29
AQM053937.....	29
AQM053938.....	29
AQM053941.....	26
AQM053942.....	26
AQM053943.....	26
AQM053944.....	26
AQM053946.....	26
AQM053948.....	26
AQM053960.....	22
AQM053961.....	22
AQM053963.....	22
AQM053964.....	22
AQM053965.....	22
AQM053975.....	22
AQM053976.....	22
AQM054700.....	24
AQM054701.....	24
AQM054702.....	24
AQM054703.....	24
AQM054704.....	24
AQM054705.....	24
AQM054706.....	24
AQM054707.....	24
AQM054708.....	24
AQM054709.....	24
AQM054710.....	25
AQM054711.....	25
AQM054712.....	25
AQM054713.....	25
AQM054714.....	25
AQM054715.....	23
AQM054716.....	23
AQM054717.....	23
AQM054718.....	23
AQM054719.....	23
AQM054720.....	23
AQM054721.....	23
AQM054722.....	23
AQM054723.....	23
AQM054726.....	23
AQM054727.....	23
AQM054738.....	24
AQM054739.....	24
AQM054740.....	24
AQM054741.....	24
AQM054742.....	24
AQM054743.....	24
AQM054749.....	23
AQM054750.....	28
AQM054751.....	28
AQM054752.....	28
AQM054753.....	28
AQM054754.....	28
AQM054755.....	28
AQM054756.....	28
AQM054757.....	28
AQM054758.....	29
AQM054759.....	29
AQM054760.....	29
AQM054761.....	29
AQM054762.....	29
AQM054763.....	29
AQM054764.....	29
AQM054765.....	29
AQM054766.....	29
AQM054767.....	29

AQM054768.....	29
AQM054769.....	29
AQM054778.....	29
AQM054779.....	29
AQM054780.....	29
AQM054781.....	29
AQM054782.....	29
AQM054783.....	29
AQM054784.....	29
AQM054785.....	29
AQM054786.....	29
AQM054787.....	29
AQM054788.....	29
AQM054789.....	29
AQM054790.....	29
AQM054791.....	29
AQM054792.....	29
AQM054793.....	29
AQM054794.....	23
AQM054795.....	23
AQM054796.....	23
AQM054797.....	23
AQM054798.....	23
AQM054799.....	23
AQM054800.....	23
AQM054801.....	23
AQM054802.....	23
AQM054803.....	23
AQM054804.....	23
AQM054805.....	23
AQM054806.....	23
AQM054807.....	23
AQM054808.....	23
AQM054809.....	23
AQM054810.....	23
AQM054811.....	23
AQM054812.....	24
AQM054813.....	24
AQM054814.....	24
AQM054815.....	24
AQM054816.....	24
AQM054817.....	24
AQM054818.....	24
AQM054819.....	24
AQM054820.....	24
AQM054843.....	20
AQM054844.....	20
AQM054845.....	20
AQM054846.....	20
AQM054847.....	20
AQM054848.....	20
AQM054849.....	20
AQM054850.....	20
AQM054851.....	20
AQM054852.....	20
AQM054853.....	20
AQM054854.....	20
AQM054855.....	20
AQM054856.....	20
AQM054857.....	20
AQM054858.....	20
AQM054859.....	21
AQM054861.....	21
AQM054862.....	21
AQM054865.....	21
AQM054870.....	26
AQM054871.....	26
AQM054872.....	26
AQM054873.....	25
AQM054874.....	28
AQM054880.....	25
AQM054881.....	27
AQM054882.....	27
AQM054883.....	27
AQM054884.....	28
AQM054885.....	28
AQM054886.....	28
AQM054887.....	28
AQM054888.....	28

AQM054889.....	28
AQM054890.....	28
AQM054891.....	28
AQM054900.....	27
AQM054901.....	27
AQM054902.....	27
AQM054903.....	27
AQM054904.....	27
AQM054905.....	27
AQM054918.....	27
AQM054919.....	27
AQM054920.....	27
AQM07030G.....	21
AQM07060G.....	21
AQM07150.....	31
AQM07165.....	31
AQM07180.....	31
AQM07195.....	31
AQM07210.....	31
AQM07225.....	31
AQM07240.....	31
AQM07270.....	31
AQM07300.....	31
AQM08030G.....	21
AQM08030S.....	21
AQM08060G.....	21
AQM08060S.....	21
AQM10030G.....	21
AQM10030S.....	21
AQM10060G.....	21
AQM10060S.....	21
AQM11100.....	31
AQM11125.....	31
AQM11140.....	31
AQM11150.....	31
AQM12030G.....	21
AQM12060G.....	21
AQM15K0GLRG.....	2
AQM15K0GMED.....	2
AQM15K0GSML.....	2
AQM15K0GXL.....	2
AQM15K0JGLRG.....	2
AQM15K0JGMED.....	2
AQM15K0JGSML.....	2
AQM15K0JGXL.....	2
AQM15K0JGXXL.....	2
AQM15K0XXL.....	2
AQM302645.....	18
AQM303762.....	18
AQM320360.....	19
AQM320361.....	19
AQM320366.....	19
AQM320367.....	19
AQM320368.....	19
AQM320369.....	19
AQM320370.....	19
AQM320375.....	19
AQM320380.....	19
AQM320385.....	19
AQM320475.....	19
AQM320480.....	19
AQM320485.....	19
AQM321051.....	18
AQM321054.....	18
AQM321055.....	18
AQM321520.....	18
AQM321523.....	18
AQM321525.....	18
AQM5107.....	27
AQM5110.....	27
AQM5115.....	27
AQM5120.....	27
AQM6KCGLRG.....	3
AQM6KCGMED.....	3
AQM6KCGSML.....	3
AQM6KCGXL.....	3
AQM6KCGXXL.....	3
AQM71185.....	7
AQM71240.....	7

AQM72270.....	9
AQM72310.....	9
AQM72340.....	9
AQM72370.....	9
AQM75210.....	8
AQM75240.....	8
AQM75270.....	8
AQM75310.....	8
AQM76270.....	11
AQM76320.....	11
AQM76360.....	11
AQMBFJ-001L.....	5
AQMBFJ-001M.....	5
AQMBFJ-001S.....	5
AQMBFJ-003L.....	4
AQMBFJ-003M.....	4
AQMBFJ-003S.....	4

B

BM301001.....	12
BM302001.....	12
BM501001.....	12
BM502001.....	12
BM601001.....	12
BM602001.....	12

E

EXTR1B.....	31
EXTRA1.....	31
EXTRB1.....	31

F

FLX3SFPD206.....	23
FLX3SFPD35.....	23

L

LE148101.....	17
LE158301.....	17
LE162-001.....	17
LE17464.....	17
LE17474.....	17
LE186329.....	16
LE213101.....	17
LE213401.....	17
LE220101.....	17
LE220102.....	17
LE223101.....	17
LE224101.....	17
LE252101.....	17
LE49463.....	16
LE49464.....	16
LE50360.....	16
LE50362.....	17
LE50363.....	17
LE50364.....	16
LE50366.....	16
LE560101.....	17
LE60102.....	14
LE60104.....	15
LE60108.....	14
LE60108D.....	14
LE60108E.....	14
LE60109.....	15
LE60110.....	15
LE60111.....	16
LE60112.....	17
LECU157.....	17
LECU158.....	17
LECU170.....	17

AQUAMARINE



UNITED KINGDOM

Bainbridge International Ltd.

8 Flanders Park, Hedge End, Southampton, Hampshire, SO30 2FZ, UK

T: +44 (0) 1489 776000 **F:** +44 (0) 1489 776005 **E:** info@bainbridgeint.co.uk

W: www.bainbridgeint.com

